

A1 Method

Quick Reference GuideFor the use of the Quad Window & Door System




Cut 45-degree angle at the head and side jamb joints on each side and temporarily fasten the top flap with a piece of tape.
Cut the WRB a minimum of 1 to 1-1/4" away from the rough opening sides to expose the sheathing.



Measure the depth of the window frame, but do not include the extension jamb if present. Add a 1/4", measure that total on the rough opening sill and mark it with a pencil. This will show you where the interior edge of the flashing should be.



Apply corner guards at sill and side jamb joints by using a 6" x 6" piece of flashing tape, cutting it into a "butterfly" shape and forming into the corners.



Cut the sill flashing to the width of the rough opening plus 12". Align the flashing tape with the pencil marks from step 2 and center the tape in the rough opening onto the sill, and extend it up each side jamb 6".



Make relief cuts in the corners and then fold the flashing tape onto the apron. Use the J-roller to remove any air pockets.



Set your U-shaped plastic PVC shims on the sill. Shims must recess a 1/4" from the interior window frame. Then set a level on top, bridging the shims. Once they are level, seal the shims onto the sill using OSI® QUAD® Max.



Apply a continuous 3/8" rounded bead of OSI® QUAD® Max to the backside of the side and head flanges of the window.

Make sure to cover the pre-punched holes with OSI® QUAD® Max.



Apply a discontinuous bead on the bottom flange. Leaving a minimum of a 2" gap at each corner and every 6" to 8".





Genter the window in the rough opening on the shims and check for level, plumb, and square.



Install the window using all manufacturer's installation instructions and ensure the window operates properly. Tool any bulging sealant flat, so it doesn't interfere with future cladding installation.







Apply the flashing tape tightly to the side jambs of the window and onto the wall. Then apply the flashing tape over the head flange of the window and onto the wall, extending it at least 1" beyond the flashing tape at the side jambs. Use the J-roller to remove any air pockets.



Pull down the top flap, and tape both 45-degree corners with flashing tape or WRB joint tape. Seal the WRB over the header with sealant or flashing tape.



From the interior apply OSI® QUAD® foam into the gap between the window and the framing at the head, side and sill jambs. This must be a continuous seal with no visible shims.



Allow 25 to 35 minutes for foam to cure and trim off the excess with a sharp knife.



