



Product Description Sheet

Soft Press Hand Held Pneumatic Applicator

Item No. 250052

Product Description

The Soft Press Handheld Pneumatic Applicator is designed to dispense high viscosity adhesives and sealants that are packaged in 400ml, 570ml, or 20oz soft packs commonly known as Sausage Packs or Foil Packs. The Applicator easily applies beads, dots or dashes of material depending on the application. An integrated air regulator allows for precise adjustment of material flow rate.

Product Features


- Drawn Aluminum Barrel
- Instant Air Dump Valve
- Floating Pusher action with Secure Cord
- Adjustable Air Regulator – 125 PSI Max Output
- Silenced Air Exhaust
- Quick Release End Cap
- Air Hose connector and Nozzle included



Technical Data

- Max air pressure input – 145 psi
- Max regulated air pressure – 125 psi
- Weight (excluding adhesive) – .7 kg (1.5 lb)

Replacement Parts

- Soft Press Applicator Nozzle, Item Number 582416 

Note
The data contained herein are furnished for information only and are believed to be reliable. We cannot assume responsibility for the results obtained by others over whose methods we have no control. It is the user's responsibility to determine suitability for the user's purpose of any production methods mentioned herein and to adopt such precautions as may be advisable for the protection of property and of persons against any hazards that may be involved in the handling and use thereof. In light of the foregoing, Henkel Corporation specifically disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation specifically disclaims any liability for consequential or incidental damages of any kind, including lost profits. The discussion herein of various processes or compositions is not to be interpreted as representation that they are free from domination of patents owned by others or as a license under any Henkel Corporation patents that may cover such processes or compositions. We recommend that each prospective user test his proposed application before repetitive use, using this data as a guide. This product may be covered by one or more United States or foreign patents or patent applications.

Trademark usage

Except as otherwise noted, all trademarks in this document are trademarks of Henkel Corporation in the U.S. and elsewhere. ® denotes a trademark registered in the U.S. Patent and Trademark Office.

Document # 8904055, Date: 10/14/2013



Henkel Americas
1-800-LOCTITE
www.equipment.loctite.com

Henkel Europe
+49.89.320800.1800
www.henkel.com/industrial

Henkel Asia Pacific
+86.21.2891.8863
www.henkel.com/industrial