

# **Safety Data Sheet**

Loctite Superglue Perfect / Creative Pen

Page 1 of 7

SDS No.: 550577

V001.1

Date of issue: 16.01.2023

### Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** Loctite Superglue Perfect / Creative Pen

**Intended use:** Adhesive

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

**Emergency information:** 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

### Section 2. Hazards identification

#### Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

#### **GHS Classification:**

<u>Hazard Class</u> <u>Hazard Category</u> <u>Target organ</u>

Flammable liquids Category 4
Skin irritation Category 2
Serious eye irritation Category 2A
Target Organ Systemic Toxicant - Category 3

Target Organ Systemic Toxicant - Category 3 respiratory tract irritation Single exposure

Hazard pictogram:

Signal word: Warning

SDS No.: 550577 V001.1

**Hazard statement(s):** H227 Combustible liquid.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Precautionary Statement(s):** 

**Prevention:** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 Avoid breathing mist/vapours. P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to

extinguish.

**Storage:** P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

#### **Dangerous Goods information:**

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

#### Section 3. Composition / information on ingredients

**General chemical description:** Mixture

**Type of preparation:** Cyanoacrylate Adhesive

**Identity of ingredients:** 

| Chemical ingredients  | CAS-No.   | Proportion   |
|-----------------------|-----------|--------------|
| Ethyl 2-cyanoacrylate | 7085-85-0 | 60- <= 100 % |

### Section 4. First aid measures

**Ingestion:** Ensure that breathing passages are not obstructed. The product will polymerise

immediately in the mouth making it almost impossible to swallow. Saliva will slowly

separate the solidified product from the mouth (several hours).

Skin: Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a

spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate

enough heat to cause a burn.

Burns should be treated normally after the adhesive has been removed from the skin. If lips are accidentally stuck together apply warm water to the lips and encourage

maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

SDS No.: 550577 V001.1

Eyes: If the eye is bonded closed, release eyelashes with warm water by covering with wet pad.

Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help

to debond the adhesive.

Keep eye covered until debonding is complete, usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of

cyanoacrylate trapped behind the eyelid cause any abrasive damage.

**Inhalation:** Move to fresh air, consult doctor if complaint persists.

First Aid facilities: Eye wash and safety shower

### Section 5. Fire fighting measures

**Suitable extinguishing media:** Foam, extinguishing powder, carbon dioxide.

Fine water spray

Decomposition products in case of

Oxides of carbon, oxides of nitrogen, irritating organic vapors. Cyanides.

nre:

Special protective equipment for fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

#### Section 6. Accidental release measures

**Personal precautions:** Ensure adequate ventilation.

**Environmental precautions:** Do not let product enter drains.

Clean-up methods: Do not use cloths for mopping up. Flood with water to complete polymerization and

scrape off the floor. Cured material can be disposed of as non-hazardous waste.

# Section 7. Handling and storage

**Precautions for safe handling:** Ventilation (low level) is recommended when using large volumes

Use of dispensing equipment is recommended to minimise the risk of skin or eye contact

**Conditions for safe storage:** Storage at 2 to 8°C is recommended.

#### Section 8. Exposure controls / personal protection

#### National exposure standards:

None

SDS No.: 550577 V001.1

**Engineering controls:** Use positive down-draft exhaust ventilation if general ventilation is insufficient to

maintain vapor concentration below established exposure limits.

**Eye protection:** Wear protective glasses.

**Skin protection:** 

The use of chemical resistant gloves such as Nitrile is recommended.

Polyethylene or polypropylene gloves are recommended when using large volumes.

Do not use PVC, rubber or nylon gloves.

Please note that in practice the working life of chemical resistant gloves may be

considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

**Respiratory protection:** If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

# Section 9. Physical and chemical properties

**Appearance:** colourless liquid

Odor: irritating

**pH:** Not applicable, Product reacts with water.

< 700 mbar

Melting point / freezing point: Not applicable, Product is a liquid

**Boiling point:** > 149 °C (> 300.2 °F) **Flash point:** 80 - 93 °C (176 - 199.4 °F) **Vapor pressure:** < 0.5 mm hg

(no method; 20 °C (68 °F)no method; 50 °C (122 °F))

Vapor density: > 1

**Density:** 1.05 g/cm3 **Auto ignition:** 485 °C

**Decomposition temperature:** 

Viscosity (dynamic): 18,000.00 - 40,000.00 mPa.s18,000.00 - 40,000.00 mPa.s

(BROOKFIELD WITH HELIPATH; Instrument: RVT; speed of rotation: 20 min-1; Spindle No: TC; Method: ;; LCT

STM 10; Viscosity

Brookfield)(BROOKFIELD WITH HELIPATH; Instrument: RVT; 25 °C (77 °F); speed of rotation: 20 min-1; Spindle No: TC; Method: ;; LCT STM 10; Viscosity Brookfield)

# Section 10. Stability and reactivity

**Stability:** Stable under normal conditions of temperature and pressure.

**Conditions to avoid:** Avoid excessive heat and ignition sources.

SDS No.: 550577 V001.1

Incompatible materials: Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and

alcohols.

Hazardous decomposition

products:

May produce fumes when heated to decomposition. Fumes may contain carbon monoxide

and other toxic fumes.

Cyanides.

### Section 11. Toxicological information

**Health Effects:** 

**Ingestion:** Not expected to be harmful by ingestion. Rapidly polymerizes (solidifies) and bonds in mouth. It

is almost impossible to swallow.

Skin: Bonds skin in seconds. May cause skin irritation. Cyanoacrylates have been reported to cause

allergic reaction but due to rapid polymerization at the skin surface, an allergic response is rare. Cyanoacrylates generate heat on solidification. In rare circumstances a large drop will burn the

skin. Cured adhesive does not present a health hazard even if bonded to the skin.

**Eyes:** Irritating to eyes. Causes excessive tearing. Eyelids may bond.

**Inhalation:** Exposure to vapors above the established exposure limit results in respiratory irritation, which

may lead to difficulty in breathing and tightness in the chest.

**Chronic effects:** No chronic health effects are expected from the intended use of these products or from

foreseeable handling of them in the workplace.

#### Acute toxicity:

| Hazardous components  | Value | Value         | Route of    | Exposure | Species | Method                        |
|-----------------------|-------|---------------|-------------|----------|---------|-------------------------------|
| CAS-No.               | type  |               | application | time     |         |                               |
| Ethyl 2-cyanoacrylate | LD50  | > 5,000 mg/kg | oral        |          | rat     | equivalent or similar to OECD |
| 7085-85-0             | LD50  | > 2,000 mg/kg |             |          | rabbit  | Guideline 423 (Acute Oral     |
|                       |       |               | dermal      |          |         | toxicity)                     |
|                       |       |               |             |          |         | equivalent or similar to OECD |
|                       |       |               |             |          |         | Guideline 402 (Acute Dermal   |
|                       |       |               |             |          |         | Toxicity)                     |

#### Skin corrosion/irritation:

| Hazardous components CAS-No.    | Result              | Exposure time | Species | Method  |
|---------------------------------|---------------------|---------------|---------|---|
| Ethyl 2-cyanoacrylate 7085-85-0 | slightly irritating | 24 h          | rabbit  | equivalent or similar to OECD<br>Guideline 404 (Acute Dermal<br>Irritation / Corrosion) |

#### Serious eye damage/irritation:

| Hazardous components CAS-No.       | Result     | Exposure<br>time | Species | Method   |
|------------------------------------|------------|------------------|---------|--|
| Ethyl 2-cyanoacrylate<br>7085-85-0 | irritating |                  | rabbit  | equivalent or similar to OECD<br>Guideline 405 (Acute Eye<br>Irritation / Corrosion) |

#### Respiratory or skin sensitization:

| Hazardous components CAS-No.    | Result          | Test type           | Species    | Method        |
|---------------------------------|-----------------|---------------------|------------|---------------|
| Ethyl 2-cyanoacrylate 7085-85-0 | not sensitising | Skin<br>sensitisati | guinea pig | not specified |
|                                 |                 | on                  |            |               |

SDS No.: 550577 V001.1

#### Germ cell mutagenicity:

| Hazardous components CAS-No.       | Result                           | Type of study /<br>Route of<br>administration  | Metabolic<br>activation /<br>Exposure time               | Species | Method  |
|------------------------------------|----------------------------------|--|--|---------|---|
| Ethyl 2-cyanoacrylate<br>7085-85-0 | negative<br>negative<br>negative | bacterial reverse<br>mutation assay (e.g<br>Ames test)<br>in vitro mammalian<br>chromosome<br>aberration test<br>mammalian cell<br>gene mutation assay | with and without<br>with and without<br>with and without |         | equivalent or similar to OECD<br>Guideline 471 (Bacterial<br>Reverse Mutation Assay)<br>OECD Guideline 473 (In vitro<br>Mammalian Chromosome<br>Aberration Test)<br>OECD Guideline 476 (In vitro<br>Mammalian Cell Gene<br>Mutation Test) |

# Section 12. Ecological information

General ecological information: Biological and Chemical Oxygen Demands (BOD and COD) are insignificant., Do

not empty into drains / surface water / ground water.

#### Persistence and degradability:

| Hazardous components<br>CAS-No.    |                            |         | Degradability | Method   |
|------------------------------------|----------------------------|---------|---------------|--|
| Ethyl 2-cyanoacrylate<br>7085-85-0 | not readily biodegradable. | aerobic | 57 %          | OECD Guideline 301 D (Ready<br>Biodegradability: Closed Bottle |
|                                    |                            |         |               | Test)  |

#### Bioaccumulative potential / Mobility in soil:

| Hazardous components  | LogPow | Bioconcentration | Exposure | Species | Temperature | Method                   |
|-----------------------|--------|------------------|----------|---------|-------------|--------------------------|
| CAS-No.               |        | factor (BCF)     | time     |         |             |                          |
| Ethyl 2-cyanoacrylate | 0.776  |                  |          |         | 22 °C       | EU Method A.8 (Partition |
| 7085-85-0             |        |                  |          |         |             | Coefficient)             |

# Section 13. Disposal considerations

Waste disposal of product: Cured adhesive: Dispose of as water insoluble non-toxic solid chemical in authorised

landfill or incinerate under controlled conditions.

Dispose of in accordance with local and national regulations.

Contribution of this product to waste is very insignificant in comparison to article in

which it is used

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

### Section 14. Transport information

### Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

### Marine transport IMDG:

Not dangerous goods

SDS No.: 550577 V001.1

#### Air transport IATA:

UN no.: 3334

Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)

Class or division: 9
Packing group: III
Packing instructions (passenger) 964
Packing instructions (cargo) 964

Additional Information IATA: Primary packs containing less than 500ml are unregulated by this

mode of transport and may be shipped unrestricted.

### Section 15. Regulatory information

SUSMP Poisons Schedule None

#### Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

IMDG: International Maritime Dangerous Goods code AIIC - Australian Inventory of Industrial Chemicals (AIIC) AICIS - Australian Industrial Chemicals Introduction Scheme

**Reason for issue:** Reviewed SDS. Reissued with new date. involved chapters: 1-16

**Date of previous issue:** 13.03.2018

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for

additional assistance.