

CASE *STUDY*

TEROSON[®]

MS 9320 LV WH NA

Formulated without isocyanates

TRUSTED
COLLECTION,
STRONG
CONNECTION

Henkel

MARKET SITUATION AND CHALLENGE

Health & Safety Focus: Enhanced worker safety through improved product health and safety profiles. Customers seek solutions that reduce exposure to hazardous substances while maintaining consistent performance, enabling safer handling and application on the production line.

Sustainability: Customers increasingly demand sustainable solutions that support the phase-out of substances such as isocyanates and solvents, without compromising performance.

CUSTOMER REQUIREMENTS

Customer Demand For Simplification: Customer required a simplified sealing solution capable of meeting rising sustainability expectations while maintaining high application performance. The application called for a very fast-curing, sprayable sealant that delivers Class- A finish with a smooth visual appearance and reliable elongation. Additional requirements included paintability, long term corrosion and UV resistance, combined with easy application across a wide range of substrates without increasing complexity in existing production processes.




HENKEL SOLUTION

Enhanced Performance: TEROSON® MS 9320 LV WH NA is a sprayable SMP sealant designed to maximize performance and productivity on the production line. Delivers Class-A finish smoothness with flat- and wide- stream beads for excellent visual appearance. Sprayable and brushable application provides process flexibility while full paintability ensures seamless integration into downstream finishing operations. A very fast curing profile helps reduce cycle times and increase manufacturing efficiency, with strong sag resistance enabling precise application on vertical and complex geometries. Available in white, grey and black.

Health & Safety Advantages: Solutions formulated without isocyanates and solvents, that improves handling safety during application without compromising performance or durability.

Sustainability Leadership: Supports customer sustainability goals through more responsible chemistry and resource-efficient processing. Excellent primerless adhesion to a wide range of substrates, reduced material use and process steps. Outstanding UV and weathering resistance, ensures long-term durability, extending service life for both interior and exterior applications.



GET MORE PRODUCT INFO

TEROSON[®]

MS 9320 LV WH NA **without isocyanates**

- ✓ **Delivers Class-A finish smoothness**
- ✓ **UV and weathering resistance**
- ✓ **Formulated without isocyanates and solvents**

Related pages:

[Industries | Henkel Adhesives](#)

non-iso.henkel-adhesives.com

Let's connect:



Contact us



LinkedIn



Learn more

