

TEROSON®

Exterior Finishing Compounds for Vehicle Repair & Maintenance




Henkel

TEROSON®

Henkel - The Solution Provider

Henkel is a world-wide operating, market-driven specialist in brands and technologies with affiliates in over 75 countries, providing technology competence from one single source. People in 125 countries around the world trust in brands and technologies from Henkel. The portfolio includes adhesives and sealants, products for direct glazing, corrosion protection, underbody and anti chip coating, sound deadening solutions, body care and many other speciality chemicals. Henkel has OEM approvals for many of its products and in this way strengthens the power of its brands and products.



Perfectly Polished Surfaces!

TEROSON Polish grades

Henkel offers One-Stop shopping with the new Polishing Products.

The portfolio covers all automotive maintenance and repair needs with the new Teroson Polish grades. Teroson Polishing Compounds are developed for automotive aftermarket professionals to achieve a perfect paintwork repair and giving your vehicle a brand new look.

TEROSON Polishing Compounds easily removes sanding marks and scratches and gives a glossy final finish.



Preparation Compounds



TEROSON WX 159 XP

- Extra high performance cutting compound
 - Eliminates 1500 grit sand marks as well as signs of wear and tear
 - Compounding pad or lambswool pad is recommended as a polishing tool
 - Contains no silicone
- Packaging: 1KG
IDH No. 1769678



TEROSON WX 154

- Cutting compound for old paint restoration
 - Eliminates 2000 grit sand marks as well as signs of wear and tear
 - Compounding pad or lambswool pad is recommended as a polishing tool
 - Contains no silicone
- Packaging: 3.78LT IDH: 1905671



TEROSON WX 157 HP

- High performance cutting compound
 - Eliminates 1500 – 2000 grit sand marks
 - Compounding pad or lambswool pad is recommended as a polishing tool
 - Contains no silicone
- Packaging: 1KG
IDH No. 1675017



TEROSON WX 150

- Highly effective cutting compound
 - Eliminates 2000 grit sand marks as well as signs of wear and tear
 - Compounding pad or lambswool pad is recommended as a polishing tool
 - Contains no silicone
- Packaging: 1LT
IDH No. 1675020



TEROSON WX 145

- Very aggressive cutting compound
 - Eliminates 1000 – 1200 sand marks
 - It's effective on gel coated surfaces
- Packaging: 1kg
IDH No. 1994094

www.terosonpolish.com



Finishing Compounds



TEROSON WX 160

- Fine cutting compound
 - Eliminates 2000 – 2500 grit sand marks as well as signs of wear and tear
 - Medium hard pad is recommended as a polishing tool
 - Contains no silicone
- Packaging: 1LT
IDH No. 1675021



TEROSON WX 175 HP

- Universal machine glaze
 - Medium hard pad or soft pad is recommended as a polishing tool
 - Contains no silicone
- Packaging: 1LT
IDH No. 1675022



TEROSON WX 178 HP

- High performance haze hologram and swirl remover for all types of original and repair paints
 - Ensures perfect finishing
 - Medium hard pad is recommended as a polishing tool
 - Contains no silicone
- Packaging: 1LT
IDH No. 1786063



TEROSON WX 180

- Very effective polish for varnish and paint protection
 - Provides a deep shine and high gloss
 - Easy to apply by hand or machine and gives a perfect finish
 - Applicable for minor scratches
- Packaging: 250ML IDH No. 796831
Packaging: 1LT IDH No. 796923
Packaging: 5LT IDH No. 796925



TEROSON WX 182 Spray Wax

- Universal high gloss spray wax
 - Leaves a protective layer on the paint with a brilliant finish and scent
 - Cleans left over polishing compound and residues
- Packaging: 500ML IDH No. 1917475
Packaging: 5LT IDH No. 1917633

TEROSON WX 183

- Extremely durable high-gloss finish
 - Protects your car's paint against UV rays, oxidation, rust and acid attacks
 - Provides excellent dirt, grime and water repellency
 - Protects your car against light scratches
- Packaging: 50ML
IDH No. 2139793





Application Tools



TEROSON WX 159 XP

Lambswool Pad

IDH 1943313 - 200 mm - One sided
IDH 2027899 - 200mm - Double sided

Ideal to use with TEROSON WX 157,
WX 159 XP and WX 150.



TEROSON ET 191

Hard pad, White

IDH 1728180 - 150 mm

Ideal to use with TEROSON WX 157,
WX 159 XP and WX 150.



TEROSON ET 190

Medium hard pad, claret red

IDH 1905266 - 200 mm

Ideal to use with TEROSON WX 157,
WX 159 XP and WX 150.



TEROSON ET 200

Backing pad

IDH 1915360 - 135 mm and 150 mm



TEROSON ET 192

Medium hard pad, yellow

IDH 1728179 - 150 mm
IDH 1952821 - 200mm

Ideal to use with TEROSON WX 160,
WX 175 HP and WX 178 HP.



TEROSON ET 193

Soft pad, Black

IDH 1728192 - 150 mm
IDH 1953601 - 200mm

Ideal to use with TEROSON WX 175 HP
and WX 178 HP.



TEROSON ET

Dispenser Bottle

IDH 1917274 - 300 mm

Refill bottle for easy dispensing



TEROSON ET 195

Microfiber Cloth

IDH 1763781 - 40 cm x 40 cm

laser stiched high quality cleaning
microfiber cloth. Does not scratch or
damage the fresh paint.

LOCTITE®
BONDERITE®
TECHNOMELT®
TEROSON®
AQUENCE®

Henkel Jebel Ali FZCo.
Dubai Silicon Oasis HQ
341044 Dubai, UAE
Tel: +971 4 3893 333
LoctiteGCC@henkel.com

Henkel Arabia
Second Industrial City, Exit 15, Zone-D
P.O. Box 25790, Riyadh 11476, KSA
Phone: +966 1 265 2655

Henkel Egypt
12 Kamal Eldin Hussien St.
Heliopolis, Cairo, Egypt
Tel: +20 2696 9100