

LOCTITE
TEROSON


Product Guide for Vehicle Repair and Maintenance



Henkel

BODY REPAIR

▶ DIRECT GLAZING



TEROSON PU 8590



- ▶ Drive-away time:
 - > 2 hours vehicle without airbag
 - > 6 hours vehicle with airbag
- ▶ Bonding of screens and windows
- ▶ Cold applied

IDH No. 149996 310ML

TEROSON PU 8597



- ▶ Drive-away time:
 - > 1 hour vehicle without airbag
 - > 4 hours vehicle with airbag
- ▶ Bonding of screens and windows
- ▶ Cold applied

IDH No. 265666 310ML
IDH No. 150052 SET

TEROSON 8590 SET



- ▶ A complete repair set of materials for glazing containing of Teroson PU 8590 and primer Teroson PU 8517

IDH No. 329897 SET

TEROSON PU 9092 PL



- ▶ Without primer, activators or active wipe
- ▶ Good sag resistance
- ▶ No stringing
- ▶ For all vehicles
- ▶ Cold applied

IDH No. 1905867 310ML
IDH No. 1913744 400ML
IDH No. 1907218 600ML

TEROSON PU 8517 H



- ▶ Improves adhesion
- ▶ Excellent UV stability
- ▶ To be applied on glass and metal frame, never on polyurethane
- ▶ Apply with Teroson Wool Dauber

IDH No. 425854 100ML
IDH No. 1114779 25ML

LOCTITE AA 317/734



- ▶ Suitable for bonding metal rear-view mirror brackets to windscreens
- ▶ Suitable for glass and metal only
- ▶ Easy to use
- ▶ Good temperature resistant

IDH No. 229966 KIT

▶ SEAM SEALING



TEROSON PU 9100 TEROSON PU 9200



- ▶ Product base: 1C Polyurethane
- ▶ Matches the factory look of original car finish
- ▶ Suitable where sealing, bonding and fast over painting is required

IDH No. 1896978 310ML
IDH No. 1896974 310ML

TEROSON 9108F



- ▶ 1C low viscosity polyurethane
- ▶ Can be painted over
- ▶ Suitable for permanently elastic sealing and bonding of metals and some plastics

IDH No. 2095618 280ML

TEROSON MS 930



- ▶ 1C MS polymer provides good primerless adhesion
- ▶ Used for bonding and sealing with excellent UV and weathering resistance

IDH No. 261896 310ML

TEROSON MS 9320



- ▶ Product base: 1C MS Polymer
- ▶ Original OEM look with 4 applications
- ▶ Sprayable with Multipress gun
- ▶ Overpaintable wet on wet

IDH No. 272232 300ML

TEROSON SI 9141



- ▶ Product base: 1C Silicone Acetoxy
- ▶ Used for bonding and sealing in automotive and household appliances
- ▶ Sealing leaks without dismantling assemblies

IDH No. 1655334 280ML

TEROSON TEROTAPE



- ▶ Seam Sealing Tape, immediately overpaintable and used majorly for doors, bonnets, quarter panels, corners

IDH No. 451115 10MMx16M
IDH No. 451119 8MMx16M

BODY REPAIR

▶ CORROSION PROTECTION



TEROSON RB R2000 HS High Performance



- ▶ Used with painted parts and phosphated metal
- ▶ Used with all OEM coatings
- ▶ For reproduction of all OEM textures for permanent underbody protection

IDH No. 767197 1L

TEROSON SB S3000



- ▶ Fast drying allowing fast over-painting
- ▶ Very well suited for mixing with paint
- ▶ High solid content
- ▶ Recreates OEM texture

IDH No. 767199 1L

TEROSON SB 3120



- ▶ Treats small isolated areas and local spots after accident repairs
- ▶ Preserves all factory underbody coatings
- ▶ Complements existing PVC and rubber / resin based coatings

IDH No. 803863 500ML

TEROSON WT 450 Aqua



- ▶ Excellent protection against corrosion, stone chips and underbody damage
- ▶ Improved corrosion for complete coating of all cavities
- ▶ Built-in corrosion inhibitor

IDH No. 1335488 1L
IDH No. 1154263 205L

TEROSON BT 2015



- ▶ Compatible with painted parts and phosphated metal
- ▶ Compatible with all OEM coatings
- ▶ Suitable for reproduction of all OEM textures for permanent protection

IDH No. 787708 190KG

LOCTITE SF 7505



- ▶ Fast drying, milky white latex coating that is applied to rusted metal to stop rusting
- ▶ Acts as a primer for the finish coat

IDH No. 88094 1L

▶ PLASTIC AND METAL REPAIR



LOCTITE 3090



- ▶ Perfect for all quick repair of broken plastic parts and all type of emergency repair
- ▶ Fast curing
- ▶ Excellent bonding for all common substrates
- ▶ High gap fill up to 5mm

IDH No. 1379599 10+1G

TEROSON EP 5055



- ▶ 2C solvent free epoxy adhesive based on toughened epoxy resin used as structural adhesive for bonding of bare metal, aluminum, zinc and E-Coated steel panels

IDH No. 1358254 250ML

TEROSON PU 9225



- ▶ Excellent sandability
- ▶ Very good paintability with all car paint systems when using Teroson 150 AE
- ▶ To avoid read-through on rapid surfaces, cure with IR at +60° to 70°C
- ▶ Working time 10 min.

IDH No. 267081 50ML

TEROSON PU 9225 SF



- ▶ Excellent sandability
- ▶ Very good paintability with all car paint systems when using Teroson 150 AE
- ▶ To avoid read-through on rapid surfaces, cure with IR at +60° to 70°C
- ▶ Working time 2 min.

IDH No. 882088 50ML

TEROSON VR 10



- ▶ Surface preparatory
- ▶ Very short evaporation time
- ▶ Removes all the contamination on the vehicle frame and windscreen

IDH No. 1581831 1L

TEROSON PU PLASTIC REP




- ▶ Suitable for repairing bumpers, spoilers and aprons
- ▶ Compatible with all types of plastic
- 1 can: Teroson VR10
- 2 bag: Teroson PU9225
- 1 bag: Teroson PU9225 SF
- 1 no.: Reinforcement mat
- 1 no.: Teroson ET mix gun
- 6 no.: Static Mixers
- 1 no.: Teroson 150

IDH No. 211680 SET

CLEANERS / LUBRICANTS / APPLICATORS

CLEANERS



TEROSON VR 190 Brake and Clutch Cleaner



- ▶ Highly efficient cleaner for brake pads and other parts
- ▶ Fast evaporating, non-irritant
- ▶ Leaves no residue

IDH No. 1653091 500ML

LOCTITE LB 8201 Multi Spray



- ▶ Stops moving parts from squeaking
- ▶ Protects from corrosion
- ▶ Cleans and preserves metals
- ▶ Frees seized or corroded parts
- ▶ Displaces moisture

IDH No. 1551751 400ML

LOCTITE SF 7085



- ▶ Gentle foam cleaner suitable for cleaning glass, paint, metals, plastics, upholstery, carpets

IDH No. 195915 400ML

LOCTITE Hygiene Spray



- ▶ Air conditioning system cleaner and sanitizer
- ▶ Effective against bacteria and viruses
- ▶ Does not damage or stain fabric or fittings

IDH No. 731335 150ML

TEROSON AIRCO Cleaning Machine & Teroson VR 200



- ▶ Suitable for sanitizing and deodorizing car interiors – including air conditioning system
- ▶ Nebulization time: Passenger cars 15 mins, 4x4's 30 mins

IDH No. 1282250 1PC
IDH No. 1393023 200ML

LOCTITE SF 7850



- ▶ Free from mineral oils
- ▶ Contains premium skin conditioners
- ▶ Works with or without water
- ▶ Removes ground-in dirt, grease, grime and oil

IDH No. 2098251 3L
IDH No. 2098250 400ML

LUBRICANTS



TEROSON VR 500



- ▶ Mounting paste used, e.g. to prevent the squeaking of drum and disc brakes
- ▶ Suitable for heavy-duty applications
- ▶ Excellent for use in central lubrication systems
- ▶ Free of metallic soaps

IDH No. 847773 35ML

TEROSON VR 730



- ▶ Spray grease has excellent lubricating property
- ▶ Water-repellent and wear lagging
- ▶ Free from silicone and acid
- ▶ Provides corrosion protection

IDH No. 341672 400ML

LOCTITE LB 8007 Copper Anti-Seize



- ▶ Can be used on copper, brass, cast iron, steel, all alloys including stainless steel, all plastics and all non-metallic gasketing materials

IDH No. 1727642 400ML

LOCTITE LB 8018



- ▶ Penetrating oil to free rusted or seized nuts, bolts, screws, fittings and other fasteners as well as metal components
- ▶ Leaves a thin film that lubricates, cleans and prevents rust

IDH No. 232396 400ML

LOCTITE LB 8021 Silicon Lube Spray



- ▶ Resists temperatures up to +200°C
- ▶ Food approved (FDA listed ingredients for USDA category H1 and CNERNA Guide 1992)
- ▶ Ideal for plastic and elastomeric parts

IDH No. 1727641 400ML

LOCTITE LB 8109 Grease Spray



- ▶ Immediately forms a tough, durable, water repelling film
- ▶ Lubrication of chains, cog wheels, levers, rollers, steel springs and haulers

IDH No. 1783212 500ML

CLEANERS / LUBRICANTS / APPLICATORS

▶ PARTS CLEANERS



TEROSON VR 4600



- ▶ Sprayable, rapid curing zinc dust corrosion protection primer in an aerosol based on zinc
- ▶ Film bonds well to cleaned metal parts and features a high temperature resistance

IDH No. 333170 400ML

LOCTITE SF 7023 Carburettor Cleaner



- ▶ Based on high power solvents
- ▶ Quickly dissolves deposits of resin, oil and varnish
- ▶ Leaves no film that can cause jamming of parts

IDH No. 1763782 400ML

LOCTITE SF 7063 Surface Cleaner



- ▶ A non-CFC solvent based formulation for cleaning and degreasing of surfaces to be bonded with LOCTITE adhesives

IDH No. 1763780 400ML

LOCTITE SF 7039 Contact Cleaner



- ▶ Does not effect insulating varnishes
- ▶ Displaces moisture

IDH No. 1727806 400ML

LOCTITE SF 7200 Gasket Remover



- ▶ Removes backed on gasket and sealant residues, dried oil, tar, carbon deposits and paint
- ▶ Easy removal prevents damage

IDH No. 235323 400ML

LOCTITE SF 7800 Zinc - Spray



- ▶ Provides excellent cathodic protection on ferrous metals
- ▶ Resists temperatures up to +550 °C
- ▶ Can be used as a primer

IDH No. 1727545 400ML

▶ APPLICATORS



LOCTITE 97002 Pneumatic Cartridge Dispenser



- ▶ Pneumatic cartridge dispenser for 300 ml cartridges and 250 ml squeeze tubes
- ▶ Ergonomically designed for hand delivery of sealant for simple, clean, hand-held dispensing with integrated pressure regulator

IDH No. 88632 1PC

TEROSON ET BATTERY GUN



- ▶ Electric, battery powered applicator for 310 ml cartridges, 400 ml sachets and foil packages
- ▶ Portable dispensing – hassle-free cordless use

IDH No. 1047326 1PC

TEROSON ET AIR GUN MULTIPRESS



- ▶ For dispensing low viscosity sealants and adhesives as a bead and spray

IDH No. 142241 1PC

TEROSON ET UBC GUN



- ▶ To be used for processing UBC and stone chip compounds from 1 ltr cans

IDH No. 1585815 1PC

TEROSON ET PRIMER APPLICATOR



- ▶ Used for primer applications coating

IDH No. 142245 25PCS

NOZZLES



- ▶ TEROSON Sliding Nozzle
- ▶ TEROSON XN09 Butterfly Nozzle
- ▶ Static Mixer

IDH No. 780805

PROFESSIONAL CAR DETAILING

► POLISHING SYSTEMS

TEROSON WX 159 XP Heavy Cut



- ▶ High performance cutting compound
- ▶ Contains no silicone
- ▶ Eliminates 1500 grid sand marks as well as signs of wear and tear

IDH No. 1769678 1KG

TEROSON WX 157 HP Heavy Cut



- ▶ High performance abrasive cutting compound
- ▶ It eliminates 1500-2000 grid sand marks as well as signs of wear and tear and guarantees a brilliant surface
- ▶ Contains no silicone

IDH No. 1675017 1KG

TEROSON WX 156 Furniture Heavy Cut



- ▶ Highly effective cutting compound
- ▶ It eliminates signs of wear and tear and 1500-2000 grid sand marks
- ▶ Contains no silicone

IDH No. 1808567 1GAL
IDH No. 1808566 1L

TEROSON WX 154



- ▶ High performance cutting compound for old paint restoration
- ▶ Eliminates 2000 grid sand marks
- ▶ Contains no silicone

IDH No. 1905671 1GAL
IDH No. 1903633 1L

TEROSON WX 140



- ▶ Paste compound for all types of original & repair paints
- ▶ It restores the paint surface to a high gloss finish in one operation
- ▶ Contains no silicone

IDH No. 1675023 1KG

TEROSON WX 183



- ▶ Thin organic paint protection coating which has mirror like finish
- ▶ Offers a deeper and brighter shine to the paint
- ▶ Protects the paint against UV, oxidation, rust, scratch

IDH No. 2139793 50ML

TEROSON WX 160 Fine Cut



- ▶ Highly performance fine compound
- ▶ Eliminates 2500-3000 grid sand marks as well as sign of wear and tear and guarantes a brilliant surface
- ▶ Contains no silicone

IDH No. 1675021 1L

TEROSON WX 175 HP Glaze



- ▶ High performance finishing compound for all types of paints
- ▶ Eliminates polishing marks as well as 3000 grid sand marks
- ▶ Contains no silicone

IDH No. 1675022 1L

TEROSON WX 178 HP Haze Remover



- ▶ High performance haze and hologram remover for all type of paints
- ▶ Eliminates polishing marks as well as 3000 grid sand marks
- ▶ Contains no silicone

IDH No. 1786063 1L

TEROSON WX 180 Polish Wax



- ▶ Removes sand paper scratches
- ▶ Provides deep shine and high gloss
- ▶ Easy to apply and gives a perfect finish

IDH No. 796923 1L

TEROSON WX 182 Detailer Spray



- ▶ Universal high gloss spray wax
- ▶ Leaves a protective layer on the paint with a brilliant finish and scent
- ▶ Cleans left over polishing compound and residues

IDH No. 1917475 500ML
IDH No. 1917633 5L

TEROSON ET POLISH Dispenser Bottle



- ▶ Refill bottle for large polishing compounds

IDH No. 1917274 300ML

► APPLICATORS - PADS

TEROSON ET 190



- ▶ Medium hard pad, claret red
- ▶ Ideal to use with Teroson WX 157, WX 159 XP and WX 150

IDH No. 1905266 200MM

TEROSON ET 191



- ▶ Hard Pad, White
- ▶ Ideal to use with Teroson WX 157, WX 159 XP and WX 150

IDH No. 1728180 150MM

TEROSON ET 192



- ▶ Medium hard pad, yellow
- ▶ Ideal to use with Teroson WX 160, WX 175 HP and WX 178 HP

IDH No. 1728179 150MM
IDH No. 1952821 200MM

TEROSON ET 193



- ▶ Soft Pad, Black
- ▶ Ideal to use with Teroson WX 175 HP and WX 178 HP

IDH No. 1728192 150MM
IDH No. 1953601 200MM

TEROSON ET 194



- ▶ Lambswool Pad
- ▶ Ideal to use with Teroson WX 157, WX 159 XP and WX 150

IDH No. 1943313 200MM One Sided
IDH No. 2027899 200MM Double Sided

TEROSON ET 200 TEROSON ET 195



- ▶ Backing pad
- ▶ Microfiber Cloth
- ▶ Laser stitched high quality cleaning microfiber cloth
- ▶ Does not scratch or damage the fresh paint

IDH No. 1915360 135MM 150MM
IDH No. 1763781 40CM x 40CM

BONDING / THREADLOCKING / GASKETING

▶ INSTANT BONDING / THREADLOCKING



LOCTITE 401



- ▶ Universal instant adhesive
- ▶ Bonds a wide range similar or dissimilar substrates
- ▶ Very high strength on close-fitting parts
- ▶ Resists temperatures up to +120°C

IDH No. 195758 20G

LOCTITE 406



- ▶ Rapid bonding of plastics, rubbers, including EPDM, and elastomers

IDH No. 195759 20G

LOCTITE 243



- ▶ Medium strength threadlocker up to M20
- ▶ Prevents loosening from vibration
- ▶ Corrosion protection

IDH No. 1677003 50ML

LOCTITE 290



- ▶ High-strength threadlocker
- ▶ Wicks between engaged threads and eliminates the need for disassembly prior to application

IDH No. 142568 50ML

LOCTITE 2701



- ▶ High strength threadlocker up to M36
- ▶ Permanent locking
- ▶ Corrosion protection

IDH No. 135281 50ML

LOCTITE HY 4090



- ▶ High moisture resistance
- ▶ Impact resistance
- ▶ Gap filling properties up to 5mm
- ▶ Temperature resistance up to +150°C

IDH No. 1778011 50G

▶ RETAINING / GASKETING



LOCTITE 638



- ▶ Retaining of splined shafts, bearings, gear wheels and all cylindrical parts
- ▶ For high strength assemblies
- ▶ Fills clearance in repaired parts
- ▶ Gap filling 0.15mm

IDH No. 1803363 50ML

LOCTITE 648



- ▶ For high strength assemblies
- ▶ Fills clearance in repaired parts
- ▶ Seals assemblies and prevents corrosion
- ▶ Gap filling 0.25mm

IDH No. 1804416 50ML

LOCTITE 518



- ▶ Gasket sealant which cures when confined in the absence of air between close fitting metal surfaces
- ▶ Used for sealing close fitting joints between rigid metal faces and flanges e.g. gearbox and engine casings, etc.

IDH No. 229875 50ML

LOCTITE SI 5699 High Performance



- ▶ Suitable for flanges with permanent water / glycol contact
- ▶ Non corrosive, low odour
- ▶ Can be used for metal, plastic and painted parts

IDH No. 135275 70ML

LOCTITE SI 5910



- ▶ Gasket Sealant for metal or plastic surfaces
- ▶ Excellent oil resistance
- ▶ Excellent adhesion

IDH No. 1126633 80ML
IDH No. 1133306 40ML
IDH No. 231086 300ML

LOCTITE GASKET MAKER



- ▶ Multi purpose flexible silicone sealant
- ▶ Suitable for flanges of any size or shape

IDH No. 1643517 RD 85G
IDH No. 1643519 GY 85G
IDH No. 1643520 BK 85G

LOCTITE®
BONDERITE®
TECHNOMELT®
TEROSON®
AQUENCE®

Henkel Jebel Ali FZCo.

Dubai Silicon Oasis HQ
341044 Dubai, UAE
Tel: +971 4 3893 333
LoctiteGCC@henkel.com

Henkel Arabia

Second Industrial City, Exit 15, Zone-D
P.O. Box 25790, Riyadh 11476, KSA
Phone: +966 1 265 2655

Henkel Egypt

12 Kamal Eldin Hussien St.
Heliopolis, Cairo, Egypt
Tel: +20 2696 9100

www.linkedin.com/company/henkel-adhesives