



Henkel Adhesive Technologies

# TEROSON<sup>®</sup> MS 9320 LV WH NA

Fast Curing sprayable  
sealant



TRUSTED  
COLLECTION,  
STRONG  
CONNECTION

The innovative **TEROSON<sup>®</sup>** product family: primer free application - UV and weather resistance - formulated **without** isocyanates.

# TEROSON® MS 9320 LV WH NA

## Fast Curing sprayable sealant

TEROSON® MS 9320 LV WH NA Sealant is a sprayable sealant designed to combine performance, productivity, and sustainability in modern manufacturing environments. It delivers a Class A finish with excellent visual appearance, while enabling fast, flexible application on the production line.

Formulated without isocyanates and solvents, TEROSON® MS 9320 LV WH NA supports efficient workflows and seamless integration into downstream finishing processes.



### Key Benefits

- **Class A surface finish:** smooth, visually appealing beads
- **Sprayable and brushable:** maximum application flexibility
- **Very fast curing:** reduce cycle times and increase productivity
- **Fully paintable:** seamless downstream finishing
- **Excellent sag resistance:** precise application on vertical or complex surfaces
- **Excellent UV & weather resistance:** long term outdoor durability



### Typical Application

- **Automotive seam sealing**
- **Repair and rework applications**
- **Engine compartment seams**
- **Trunk and passenger cell seam sealing**
- **Wheel arch and underbody seams**
- **Visible and semi visible joints**



### Product Characteristics

<b>Technology</b>	Silane-modified polymer
<b>Product type</b>	Multifunctional sealant 6 in 1
<b>Components</b>	One component
<b>Cure</b>	Moisture
<b>Appearance</b>	Black, Grey, Ochre
<b>Consistency</b>	Pasty



### Why Choose TEROSON® MS 9320 LV WH NA?

- Enables premium visual quality without compromising productivity
- Increases line efficiency through fast curing and flexible application
- Delivers reliable long term durability in demanding environments

# TEROSON® MS 9320 LV WH NA

## Fast Curing sprayable sealant

TEROSON® MS 9320 LV WH NA Sealant is a sprayable sealant designed to combine performance, productivity, and sustainability in modern manufacturing environments. It delivers a Class A finish with excellent visual appearance, while enabling fast, flexible application on the production line.

Formulated without isocyanates and solvents, TEROSON® MS 9320 LV WH NA supports efficient workflows and seamless integration into downstream finishing processes.



## Recommended Application Equipment and Nozzles

### For Smooth Beads



**TEROSON®**  
**PowerLine II Pistol**  
IDH no. 960304



**Flatstream Nozzle**  
IDH no. 1305486



or



**Widestream II Nozzle**  
IDH no. 1470999



**TEROSON®**  
**Large Warming Box**  
IDH no. 2456728

### For Sprayable Applications



**TEROSON®**  
**Multi Press Pistol**  
IDH no. 142241



**Sprayable Nozzle**  
IDH no. 547882



**TEROSON®**  
**Large Warming Box**  
IDH no. 2456728



LEARN MORE



**Europe**  
Germany  
Henkel AG & Co. KGaA  
(Headquarters)  
Henkelstraße 67  
40589 Düsseldorf

**Asia-Pacific**  
China  
Henkel (China) Co., Ltd.  
No. 928 Zhangheng Road,  
Pudong New District  
201203 Shanghai

**America**  
U.S.A.  
Henkel Corporation  
1 Henkel Way, Rocky Hill  
CT 06067