

TEROSON[®]

TEROSON Exterior Finish

Polishing Compounds to Maintain, Repair and Rework Your Vehicle Bodies



TEROSON Polishing Compounds for all your paintwork polishing

With the introduction of our new TEROSON Polishing Compounds the Henkel product portfolio now covers another integral element in meeting automotive maintenance and repair needs. Developed for you as automotive aftermarket professionals, it helps you to achieve perfect paintwork maintenance, repair and restoration for an as-new shine every time.



Easy application thanks to step-by-step colour coding – one polishing step, one cap colour.

Our TEROSON Polishing Compounds provide product solutions for the polishing process based on different grain technologies.

The Premium Line offers the latest polishing technology based on unique agglomerates that ensure a high gloss and perfect finish in just 2 steps – ideally suited to all paint systems.

The right products for your needs:



Added value through customer-specific solutions



Save up to 30% in time during the polishing process in comparison to traditional polishing systems.



Right first time thanks to step-by-step colour code system and easy application.



Safer working environment due to silicone-free products with negligible dust emission and VOC conform.

Do more with less







Our Premium Line with agglomerate grain technology for a high gloss



Our new Premium Line:

- Ideal for restoring and refinishing paint jobs.
- In combination with TEROSON Polish Pads, creates an attractive, durable, glossy finish and protection in just two easy steps.

TEROSON WX 159 represents the latest advancement in agglomerate grain technology. The relatively coarse grit texture at the beginning of the polishing process breaks down steadily during use to a very fine grain. Your paintwork is thus compounded and polished in just one step.

Polishing Process	Product	IDH No.	Pack Size	Cutting Grade	Gloss Grade
Step 1 + 2: Compound and Polish Eliminates signs of wear and tear Removes sanding marks	TEROSON WX 159 TEROSON ET 192 	1954185, 1954181	1kg Bottle, Ø 150mm		
Step 3: Finish Removes polish marks and holograms	TEROSON WX 178 TEROSON ET 193 	1954183, 1954180	1l Bottle, Ø 150mm		

Application areas

- Ideal for reworking old and new paint jobs
- Especially recommended for black and dark colours requiring a hologram-free finish
- Repair of painted areas
- Colour restoration
- Car detailing

Benefits

- Restoration of old and new paint systems in reduced process time (two-step polishing approach)
- Freshly repainted areas can be finished with ease
- Durable shine due to removal of surface roughness for long-lasting surface smoothness
- Low dust emission
- Silicone-free
- No VOCs

LOCTITE®
BONDERITE®
TECHNOMELT®
TEROSON®
AQUENCE®

Henkel Ltd.

Wood Lane End
Hemel Hempstead,
Herts, HP2 4RQ
Tel.: (+44) 1442 278100

www.carrepairsolutions.co.uk

The data contained herein are intended as reference only. Please contact Henkel Technical Support Group for assistance and recommendation on specifications for these products.

Except as otherwise noted, all marks used above in this printed material are trademarks and/or registered trademarks of Henkel and/or its affiliates in US, Germany, and elsewhere. © Henkel AG & Co. KGaA, 2018