

# DAREX Water Base and Solvent Base Can Sealants



**Darex**<sup>®</sup>

**Henkel**



## DAREX Can Sealants

Henkel produces and supplies DAREX can sealants to customers all over the globe. DAREX sealants ensure quality in over 300 billion food and beverage cans each year. In 1919 the “flowed-in” gasket technology was developed, revolutionizing modern can production. More than 90 years and trillions of cans later, DAREX sealants are still the foundation of the industry. No other company can make these claims.

Reliability is the DAREX sealants brand promise – quality year after year on each can we enable to be commercialized.

**You will not just get compliance; you will also get DAREX sealants peace of mind.**

## Broadest Portfolio in the Industry, Formulated to Serve Your Needs

DAREX sealants have evolved in parallel with the industry, adapting to the ever-changing requirements. This intimate, customer-focused customization allows us to offer the world’s broadest and most technologically advanced portfolio of can sealants. Our comprehensive DAREX product portfolio includes products for beer and beverage, food, aerosol, general line and specialty applications.

DAREX is the only brand that offers both solvent base and water base can sealants. As the only global supplier of both technologies, we know best the advantages and disadvantages of high solids, low VOC, HAP compliant solvent technology compared to high solids water base technology. Each technology has benefits for certain applications, and we are able to help our customers make the best choice for their operations.

### DAREX Can Sealants Compounds

Food Can		Carbonated Beverage	Processed Beverage	Aerosol	
Round Ends	Non-round Ends				
<b>SLC 9385</b> (NA, LA, AP)	<b>OP 2928</b> (EU, LA)	<b>SLC 4163</b> (NA, LA, AP)	<b>SLC 160</b> (JP, AP)	<b>AD 2311</b> (NA, LA, EU)	
<b>SLC 235</b> (EU, LA)	<b>OP 453</b> (EU, LA)	<b>SLC 100</b> (EU, AP, LA)	<b>SLC 1278</b> (JP)	<b>OP 649</b> (EU, AP, LA)	
<b>SLC 902</b> (LA)	<b>OP 53</b> (AP)	<b>WBC 4721</b> (Global)	<b>SLC 7703</b> (JP)		
<b>WBC 733</b> (EU, AP, LA)	<b>WBC 8790</b> (Global)	<b>WBC 4208</b> (NA, LA, AP)	<b>WBC 103</b> (JP)		
<b>WBC 9000</b> (NA, LA)	<b>WBC 8742</b> (EU)		<b>WBC 480</b> (AP)		
<b>WBC 480</b> (AP)	<b>WBC B51</b> (NA)		<b>WBC 4721</b> (Global)		
<b>WBC 447</b> (EU)					



## Unparalleled Technical Support

DAREX sealants are the world's most technologically advanced sealants. However, our expertise goes beyond the product and includes best-in-class application technical service support. Henkel Technical Customer Service possesses decades of experience and is the industry acknowledged expert when it comes to protecting your product.

With various manufacturing sites around the world and field support technicians in four continents, Henkel's global infrastructure ensures that world-class solutions, troubleshooting and trainings are available wherever customers are doing business.

Wherever you are and wherever your cans go, DAREX sealants can help navigate the complexities of global food laws.

## Products Developed Right – with the Customer in Mind

Our long-term industry experience and technical knowledge allow us to replicate production conditions in our commercial scale in-house testing facilities. This minimizes customer qualification time and expense during the commercialization process. Professionally trained taste panels assure DAREX sealants have no impact on food or drink flavor. And at the heart of the R&D program is the culmination of almost 90 years of innovation, testing and real-world application, along with the capability to predict total package performance. This, combined with effective application of SIX SIGMA training and tools, assures that DAREX sealants adhere to the highest standards of quality, consistency and performance in the industry.

	Composite	Cover	Drum & Pail	General Line	
				Round Ends	Irregular Ends
	<b>SLC 6179</b> (NA, EU)	<b>COV 23</b> (EU)	<b>Drum 159</b> (EU, LA, AP)	<b>OP 617</b> (EU, LA)	<b>OP 9115</b> (NA)
	<b>WBC 6305</b> (NA, EU)	<b>COV 499</b> (EU, AP)	<b>Drum 168</b> (EU)	<b>OP 699</b> (EU, AP, LA)	<b>OP 644</b> (AP)
		<b>COV 53</b> (EU, AP)	<b>Drum 169</b> (EU)	<b>OP 643</b> (AP, JP)	<b>OP 617DL</b> (EU)
		<b>COV H29</b> (AP)	<b>Drum L14</b> (NA, LA)	<b>OP 36</b> (AP)	
		<b>WBCOV 202</b> (EU, AP)	<b>Drum L595</b> (NA, AP)	<b>WBC 3202</b> (AP)	
		<b>WBCOV 559</b> (LA, EU)	<b>Drum 7</b> (EU, LA)	<b>WBC 9307</b> (NA)	
		<b>WBCOV 702</b> (NA, LA, AP)	<b>Drum 74</b> (AP)		
		<b>WBCOV 740</b> (NA, AP)	<b>OP 643</b> (JP)		
			<b>Pail 60</b> (JP)		
			<b>Pail 70</b> (EU, AP)		

**Henkel AG & Co. KGaA**

(Headquarter)  
Henkelstrasse 67  
40589 Düsseldorf  
Germany  
Tel.: +49 211 797 0

**North America**

Henkel Corporation –  
Darex Packaging Technologies  
62 Whittemore Ave.  
Cambridge, MA 02140/USA  
Tel.: +1 617 498 4987

**Europe**

Henkel Corporation –  
Darex Packaging Technologies  
In der Hollerhecke 1  
67545 Worms/Germany  
Tel.: +49 6241 403 00

**Latin America**

Henkel Corporation –  
Darex Packaging Technologies  
Rua Albion, 229 –  
10o andar, cj 104  
Lapa, São Paulo – SP/Brasil  
Cep 05077-130  
Tel.: +55 11 3133 2704

**Asia/Pacific**

Henkel Corporation –  
Darex Packaging Technologies  
Building 7 & Building 6 (5F-7F), The Springs Center  
No.99 Jiang Wan Cheng Road  
Yang Pu District  
Shanghai 200438  
China

[www.henkel-adhesives.com/metals](http://www.henkel-adhesives.com/metals)

The data contained herein are intended as reference only. Please contact Henkel Technical Support Group for assistance and recommendation on specifications for these products.

Except as otherwise noted, all marks used above in this printed material are trademarks and/or registered trademarks of Henkel and/or its affiliates in the US, Germany, and elsewhere. © Henkel AG & Co. KGaA, 2017