

CASE STUDY

TEROSON[®]

MS 647

Formulated without isocyanates

TRUSTED
COLLECTION,
STRONG
CONNECTION

Henkel

MARKET SITUATION AND CHALLENGE

Regulatory Requirements: European regulations mandating safety trainings for workers handling isocyanate-containing products.

Health & Safety Focus: The need for solutions that enhance workers safety and meet stricter regulatory standards.

Sustainability: Increasing customer requirements to phase out substances of concern as isocyanates.

CUSTOMER REQUIREMENTS

Customer Demand For Simplification: Is required a faster bonding solution to streamline the process and reduce total production time.



HENKEL SOLUTION

Accelerated Curing Technology: Teroson ms 647 it's ideal for side paneling and bonding roof skin and caravan manufacture. It cures fast by absorbing moisture from the air to form an elastic material with good resistance to high mechanical loads.

Health & Safety Advantages: Formulated without solvents, isocyanates, silicones, and PVC.

Sustainability Leadership: Meets customer demands for greener chemistry and reduced environmental impact. Moreover, shorter curing time reduces energy usage, minimizes idle time, and improves overall manufacturing efficiency.



[GET MORE PRODUCT INFO](#)

TEROSON®

MS 647 **Formulated without isocyanates**

Delivers fast bonding and handling strength to accelerate production workflows

- ✓ **primer free application in typical metals and plastic**
- ✓ **no special training required**
- ✓ **formulated without isocyanates**

Related pages:

[Industries | Henkel Adhesives](#)

non-iso.henkel-adhesives.com

[TEROSON® MS 647 | Henkel Adhesives](#)

Let's connect:



Contact us



LinkedIn



Learn more

The information provided herein, especially recommendations for the usage and the application of our products, is based upon our knowledge and experience. Due to different materials used as well as to varying working conditions beyond our control we strictly recommend to carry out intensive trials to test the suitability of our products with regard to the required processes and applications. We do not accept any liability with regard to the above information or with regard to any verbal recommendation, except for cases where we are liable of gross negligence or false intention. The information is protected by copyright. In particular, any reproductions, adaptations, translations, storage and processing in other media, including storage or processing by electronic means, enjoy copyright protection. Any exploitation in whole or in part thereof shall require the prior written consent of Henkel AG & Co. KGaA. Except as otherwise noted, all marks used in this document are trademarks and/or registered trademarks of Henkel and/or its affiliates in the US, Germany, and elsewhere. © **Henkel AG & Co. KGaA, 06/2024**

Henkel