



Safety Data Sheet

Page 1 of 7

Pattex AllPurpose Sil75gm Tr AU

SDS No. : 519595

V001.0

Date of issue: 13.01.2017

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: Pattex AllPurpose Sil75gm Tr AU

Intended use: Sealant

Supplier:
Henkel Australia Pty Ltd
135-141 Canterbury Road
Kilsyth, Victoria, 3137
Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

<u>Hazard Class</u>	<u>Hazard Category</u>
Skin irritation	Category 2
Serious eye damage/eye irritation	Category 1
Acute hazards to the aquatic environment	Category 3

Hazard pictogram:



Signal word: Danger

Hazard statement(s): H315 Causes skin irritation.
H318 Causes serious eye damage.
H402 Harmful to aquatic life.

Precautionary Statement(s):

Prevention: P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response: P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338+P315 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
P332+P313 If skin irritation occurs: Get medical attention.
P362 Take off contaminated clothing.
P302+P350+P310 IF ON SKIN: Gently wash with plenty of soap and water. Immediately call a POISON CENTER or doctor/ physician.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Distillates, petroleum, hydrotreated middle	64742-46-7	< 10 %
Triacetoxethylsilane	17689-77-9	< 10 %
Methylsilanetriyl triacetate	4253-34-3	< 10 %
non hazardous ingredients~		60- 100 %

Section 4. First aid measures

Ingestion: Do not induce vomiting.
Have victim rinse mouth thoroughly with water.
Seek medical advice.

Skin: In case of contact, immediately remove contaminated clothing and flush skin with copious amounts of water.
Seek medical advice.

Eyes: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Immediate medical treatment necessary.

Inhalation: Move to fresh air.
Keep warm and in a quiet place.
Seek medical advice.

First Aid facilities: Eye wash and safety shower
Normal washroom facilities

Medical attention and special treatment: Treat symptomatically.

Section 5. Fire fighting measures

Suitable extinguishing media: Carbon dioxide, foam, powder

Decomposition products in case of fire:: Thermal decomposition can lead to release of irritating gases and vapors.
carbon monoxide
Carbon dioxide.
Oxides of nitrogen.
Silica fume
Thermal decomposition of this product may release formaldehyde which is a carcinogen.

Special protective equipment for fire-fighters: Wear full protective clothing.
Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).

Additional fire fighting advice: In case of fire, keep containers cool with water spray.
Collect contaminated fire fighting water separately. It must not enter drains.

Section 6. Accidental release measures

Personal precautions: Avoid contact with skin and eyes.
Ensure adequate ventilation.
Wear protective equipment.

Environmental precautions: Do not let product enter drains.

Clean-up methods: Scrape up as much material as possible.
Ensure adequate ventilation.
Store in a partly filled, closed container until disposal.
Dispose of contaminated material as waste according to Section 13.

Section 7. Handling and storage

Precautions for safe handling: Ensure that workrooms are adequately ventilated.
Avoid contact with eyes, skin and clothing.
Wear suitable protective clothing, safety glasses and gloves.

Conditions for safe storage: Keep container tightly sealed.
Do not store or use near heat, spark, open flame or other sources of ignition.
Store in a cool, well-ventilated place.
< + 30 °C

Section 8. Exposure controls / personal protection

National exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
OIL MIST, REFINED MINERAL 64742-46-7	Mist.		5	-	-	-	-

Engineering controls:	Ensure good ventilation/extraction.
Eye protection:	For eye protection, use tightly fitted safety goggles and a face-shield
Skin protection:	Wear suitable protective clothing. Suitable protective gloves. Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed then the gloves should be replaced.
Respiratory protection:	If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Appearance:	Neutral Translucent
Odor:	Acetic acid
Specific gravity:	1.06
Flash point:	> 93 °C (> 199.4 °F)
Ignition temperature	450 °C (842 °F)
Density:	1.06 g/cm ³
Solubility in water:	Insoluble

Section 10. Stability and reactivity

Stability:	Stable under recommended storage conditions.
Conditions to avoid:	Avoid excessive heat and ignition sources. Moisture.
Incompatible materials:	Strong oxidizing agents. Polymerises in presence of water. Reaction with strong acids. Reaction with strong bases
Hazardous decomposition products:	Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide. Carbon dioxide. Oxides of nitrogen. At higher temperatures (>150C) may release formaldehyde (traces).

Section 11. Toxicological information

Health Effects:**Ingestion:**

Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Skin:

Causes skin irritation.

Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Eyes:

Causes serious eye damage.

Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in corneal injury. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Inhalation:

Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Acute toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Triacetoxethylsilane 17689-77-9	LD50	1,460 mg/kg	oral		rat	OECD Guideline 401 (Acute Oral Toxicity)
Methylsilanetriyl triacetate 4253-34-3	LD50	1,600 mg/kg	oral		rat	OECD Guideline 401 (Acute Oral Toxicity)

Section 12. Ecological information**General ecological information:**

Do not empty into drains / surface water / ground water.

Ecotoxicity:

Harmful to aquatic life.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Distillates, petroleum, hydrotreated middle 64742-46-7	LC50	> 10,000 mg/l	Fish	96 h	Pimephales promelas	OECD Guideline 203 (Fish, Acute Toxicity Test)
Triacetoxethylsilane 17689-77-9	LC50	251 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)
Triacetoxethylsilane 17689-77-9	EC50	62 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Triacetoxethylsilane 17689-77-9	IC50	73 mg/l	Algae	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Distillates, petroleum, hydrotreated middle 64742-46-7		aerobic	30 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Triacetoxethylsilane 17689-77-9			74 %	OECD Guideline 301 A (old version) (Ready Biodegradability: Modified AFNOR Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components CAS-No.	LogPow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
Triacetoxethylsilane 17689-77-9	0.74					not specified

Section 13. Disposal considerations

- Waste disposal of product:** Dispose of in accordance with local and national regulations.
- Disposal for uncleaned package:** After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated. Disposal must be made according to official regulations.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

General information:

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

Section 15. Regulatory information

- SUSMP Poisons Schedule** None
- AICS:** All components are listed or are exempt from listing on the Australian Inventory of Chemical Substances (AICS).

Section 16. Other information

- Abbreviations/acronyms:** ADGC - Australian Dangerous Goods Code
IMDG: International Maritime Dangerous Goods code
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
STEL - Short term exposure limit
TWA - Time weighted average
- Reason for issue:** Reviewed SDS. Reissued with new date. involved chapters: 1 - 16
- Date of previous issue:** 30.04.2013
- Disclaimer:**

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.